
拓貿實業有限公司

TOU MOU INTERNATIONAL CO., LTD.

產品介紹

INTRODUCE





規劃簡介
Projec Introduction

公司名稱 Company Name

MR.VIET

地址 Address

聯絡方式 Contact info

案名 Project Name

3 IN 1 COFFE MIX SYSTEM

案號 Project No.

20260507A

業務負責人 鍾孟豪

Sales Representative Michal Chung

公司名稱 拓貿實業有限公司

Company Name TOU MOU INT CO., LTD.

聯絡方式 +886-2-2693-4677

Contact info toumou@ms27.hinet.net

公司簡介
Company Introduction

拓貿實業(Toumou)始創立於1996年，擁有大量的
整廠規劃經驗，提供完善的設計、安裝服務。
產品廣泛運用在化工、食品與醫藥等多個產業。
包含整合輸送、儲存、磨粉、過篩、計量、配重與包裝
等多項次及跨領域的工程。我司在泰國與越南
設有生產基地，妥善運用各地優勢資源，
來為世界各地的客戶達成最大利益。

TOU MOU was founded in 1996.
Our products are widely used in Food,
chemicals, and other industries area.
We provide whole-plant solutions
for materials, including
material transportation, storage,
milling, sifting, metering,
counterweights, subassembly, etc.
We have actively expanded
overseas and have factories
in Thailand and Vietnam
to provide international services.



A)FEEDING HOPPER

Feeding hopper include blower and filter to avoid the powder diffusion.When you open the machine door. The blower is open and make the hopper become negative pressure . Powder would not escape to the environment. When You close the gate. There are air clean system toMake filter clean.

Q: Do we need equip sieve to make sure the quality of material



(Standare feeding hopper)



(Standare feeding hopper With sieve)

Video reference
https://www.youtube.com/watch?v=L44NFmySZmk

B)Micro dosing system

Micro dosing system use loss in weight solution to weight the material. People feed the material to the hopper and use small screw to dosing the material .after dosing use pneumatic way to conveyor to the Blender



C) Automatic weighting system

- Powder automatic weighting system use screw to feeding the material. You can control the feeding speed to adjust the precision of weighting System .The screw can take off to clean to make sure the sanitary ， We use GM load cell it has good quality. The 500 kg weighing system takes approximately 10 minutes to weigh, with an accuracy of ±0.5% for weights over 150 kg and ±1% for weights under 150 kg.



Video reference
https://www.youtube.com/watch?v=8yfg6lF2kFM

D) **Powder coveyor and blender system**


- We use vacuum conveyor system. The advantage of his system is no pollute to the material. and less diffusion and residue. And we adapt double blender system . The advantage of it is no blind spot. good quality and efficient of mix speed. The connect of mix system and conveyor system is all automatically Without people .we can see its in the video



Video reference
https://www.youtube.com/watch?v=I4s6vHtaO7E

項次	規格	數量	動力
A-1	Feeding hopper	4	5HP
A-2	D500 Powder receive	4	
A-3	1000LT Hopper	4	
A-4	4" Dosing screw	4	1HP
A-5	600L Weighting hopper	1	
A-6	SUS304 Frame	1	
A-7	7.5HP Blower	1	7.5HP
B-1	Micro dosing system	1	
C-1	D500 Powder receive	1	
C-2	8" Rotary valve	1	2HP
C-3	1200LT Double cone blender	1	10HP
C-4	SUS304 Frame	1	
D-1	D500 Powder receive	1	
D-2	8"Rotary valve	1	2HP
D-3	2000LT Viberate hopper	1	
D-4	360CMH Vacuum pump	1	10HP

DESCRIPTION		
A	Mix weight	400~500KG
B	Mix inlet time	8~10Min
C	Mix Outlet time	8~10Min
D	Mix time	10~15Min
E	Cycle time	25~35Min
F	Mix Capacity	700KG~1000KG/H
G	Weight precision	500KG+-0.5%
H	Coveyor capacity:Roast to hopper	1000KG
I	Coveyor capacity:Hopper to grinder	400KG
J	Coveyor capacity:Grinder to silo	400KG
K	Coveyor capacity:Weightin to mix	2000KG



TOU MOU INTERNATIONAL CO., LTD	客戶: MR.VIET 品名: 3 in 1 COFFE POWDER MIX SYSTEM	修正 REVISION	日期: DATE	說明 DESCRIPTION	繪圖 DRAWD BY WANG 核對 CHECKED BY	設計 DESIGNED BY NAME 核準 APPROVAL BY













































拓貿實業有限公司

TOU MOU INTERNATIONAL CO., LTD.



台灣總公司
新北市汐止區福德一路393巷25號
toumou@ms27.hinet.net
02-2693-4677

Thailand
52/2 Moo.3 T.Nongnokkai A.Kratoomban Samutsakorn 74110
toumou_thailand@yahoo.co.th
(+66)34-499117-8

Vientnam
Group1.Vam Hamlet.Thien Tan village.
Vinh Cuu Distict.Dong Nai province
Toumou.vientnam@gmail.com
0251-368-2361